Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	792	380/277.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/03 18:15
52	354	S1 and @ad<"19990831"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 10:00
S3	2	"20020018571".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/03 18:15
S4	1	S3 and protocol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/03 18:31
S5	1	S3 and rsi	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/03 18:31
S6	0	("2002/0018571").URPN.	USPAT	OR	OFF	2005/05/18 09:55
S7	1	"4613901".pn.	USPAT	OR	OFF	2005/05/18 09:56
S8	477	(kvl or key adj variable or key adj loader) and @ad<"19990831"	USPAT	OR	OFF	2005/05/18 09:57
S9	78	(kvl or (key or variable) adj loader) and @ad<"19990831"	USPAT	OR	OFF	2005/05/18 10:40
S10	3	"5164986".pn. "5586185".pn. "5471532".pn.	USPAT	OR	OFF	2005/05/18 11:05
S11	78	(kvl or (key or variable) adj loader) and @ad<"19990831"	USPAT	OR	OFF	2005/05/18 13:11
S12	0	key adj (delivery adj device) not S11 and @ad<"19990831"	USPAT	OR	OFF	2005/05/18 13:12
S13	318	(re-keying or rekeying) not S11 and @ad<"19990831"	USPAT	OR	OFF	2005/05/18 13:17
S14	14	S13 and target same key	USPAT	OR	OFF	2005/05/18 13:13

S15	304	S13 not S14	USPAT	OR	OFF	2005/05/19 12:19
S18	7756	"713"/\$.ccls or "380"/\$.ccls.	İ	OR	OFF	2005/05/18 13:18
S19	48	713 /\$.ccis of 380 /\$.ccis. S15 and S18	USPAT US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	OFF	2005/05/18 13:19 2005/05/18 13:51
S20	2	"5093860".pn.	IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/18 13:52
S21	22	("5093860").URPN.	USPAT	OR	OFF	2005/05/18 14:58
S22	90	380/273.ccls.	USPAT	OR	OFF	2005/05/18 15:01
S23	82	S22 and @ad<"19990831"	USPAT	OR	OFF	2005/05/18 18:45
S24	79	S23 and key	USPAT	OR	OFF	2005/05/18 16:49
S25	4	("5619572").URPN.	USPAT	OR	OFF	2005/05/18 15:11
S26	35	key adj tag and encrypt\$3 and @ad<"19990831"	USPAT	OR	OFF	2005/05/18 16:50
S27	15	key adj tag with encrypt\$3 and @ad<"19990831"	USPAT	OR	OFF	2005/05/18 18:44
S28	1	"5481610".pn.	USPAT	OR	OFF	2005/05/18 17:08
S30	546093	display\$4 message\$2 same success\$4 same key with load\$4 and @ad<"19990831"	USPAT	OR	OFF	2005/05/18 17:10
S31	3	display\$4 near2 message\$2 same success\$4 same key\$2 with load\$4 and @ad<"19990831"	USPAT	OR	OFF	2005/05/18 17:12
S32	22	display\$4 near2 message\$2 same success\$4 same key\$2 with (transfer\$4 or transmi\$5) and @ad<"19990831"	USPAT	OR	OFF	2005/05/18 17:13
S33	7	display\$4 near2 message\$2 same success\$4 with key\$2 with (transfer\$4 or transmi\$5) and @ad<"19990831"	USPAT	OR	OFF	2005/05/18 17:17
S34	187	display\$4 near2 message\$2 with key\$2 with (transfer\$4 or transmi\$5) and @ad<"19990831"	USPAT	OR	OFF	2005/05/18 17:18
S35	187	(display\$4 near2 message\$2) with key\$2 with (transfer\$4 or transmi\$5) and @ad<"19990831"	USPAT	OR	OFF	2005/05/18 17:21
S36	8	S35 and ("380"/\$.ccls. or "713"/\$. ccls.)	USPAT	OR	OFF	2005/05/18 17:18

			•	,		
S37	17	(display\$4 near3 message\$2) with (error\$2 or success\$4) with key\$2 with (transfer\$4 or transmi\$5) and @ad<"19990831"	USPAT	OR	OFF	2005/05/18 17:24
538	1	"5481610".pn. and (unsuccess\$5 or error\$4)	USPAT	OR	OFF	2005/05/18 17:25
S39	1	"5481610".pn. and (message or display\$3)	USPAT	OR	OFF	2005/05/18 17:25
540	2	"20020018571".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/10 12:00
S41	2	S40 and key near management	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/10 12:00
S42	10482	(kvl or ((key or variable) adj loader) or key\$3 adj2 device) and @ad<"19990831"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 15:15
S43	461	(kvl or ((key or variable) adj loader) or (keying adj device) or (key adj delivery adj device)) and @ad<"19990831"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 15:36
S44	461	(kvl or ((key or variable) adj loader) or (keying adj device) or (key adj delivery adj device)) and @ad<"19990831"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 15:36
S45	433	S44 not motorola.asn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 15:36
S46	28	("5377267" "5325432" "5301232" "5241598" "5239680" "5208859" "5185795" "5164986" "5161189" "5150408" "5146497" "5093926" "4993067" "4972460").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/07 09:20

S47	2	kmc same kvl same (transfer\$4 or deliver\$3) with key\$3 and @ad<"19990831"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/07 10:10
S48	248	determin\$3 with (transfer\$4 or deliver\$3) near3 key\$3 and @ad<"19990831"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/07 10:10
S49	2	"5956491".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/28 15:15
S50	2	"20020018571".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/28 15:19
S51	4	"4442357".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/28 15:24
S52	2	"9321581".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/28 15:26
S53	0	S52 and key with (load\$3 or distribut\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/28 15:26
S54	1	S52 and key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/28 15:27

						,
S55	2	"5276735".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/28 15:27
S56	1	S55 and key with (load\$3 or distribut\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/28 15:27
S57	1135	key near load\$3 and @ad<"19990831"	USPAT	OR	OFF	2006/05/04 08:53
S58	199	key near load\$3 same determin\$3 and @ad<"19990831"	USPAT	OR	OFF	2006/05/04 08:57
S59	56	key near load\$3 same (determin\$3 or match\$3 or compar\$3) with (id or identification or target or correct or appropriate or right) and @ad<"19990831"	USPAT	OR	OFF	2006/05/04 11:38
S60	153	S58 not S59	USPAT	OR	OFF	2006/05/04 10:15
S61	21	key near load\$3 same (determin\$3 or compar\$3 or match\$3) with (identity or identification or id or target) and @ad<"19990831"	USPAT	OR	OFF	2006/05/04 11:41
S62	1	kvl same (determin\$3 or compar\$3 or match\$3) with (identity or identification or id or target) and @ad<"19990831"	USPAT	OR	OFF	2006/05/04 11:44
S63	9	kvl same (identity or identification or id or target) not S62 and @ad<"19990831"	USPAT	OR	OFF	2006/05/04 11:44
S64	2	"5173938".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/04 12:02
S65	2	"5471532".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/04 12:02

			•			
S66	50	display\$3 with (fail\$3 or bad or unsuccessful) near2 transfer\$2 and @ad<"19990831"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/04 15:38
S67	5	display\$3 with (fail\$3 or bad or unsuccessful) near2 transfer\$2 same key and @ad<"19990831"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/04 15:37
S68	32	display\$3 with (fail\$3 or bad or unsuccessful) near transfer\$2 and @ad<"19990831"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/04 15:39
S69	49	display\$3 with (error\$4 or fail\$3 or bad or unsuccessful) near transfer\$2 and @ad<"19990831" not S66	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/04 15:39
S70	4	display\$3 with (error\$4 or fail\$3 or bad or unsuccessful) near transfer\$2 same key and @ad<"19990831" not S66	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/04 15:39
S71	0	"20020018571".pn. and red	USPAT	OR	OFF	2006/05/05 12:07
S72	0	"20020018571".pn.	USPAT	OR .	OFF	2006/05/05 12:08
S73	1	"20020018571".pn. and red	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/05 12:08
S75	588	(fail\$3 or unsuccessful\$3 or bad or error\$2) near2 message with transfer\$4 and @ad<"19990831"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/05 15:18
S76	15	(fail\$3 or unsuccessful\$3 or bad or error\$2) near2 message with transfer\$4 with key and @ad<"19990831"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/05 15:29

S77	1406	display near2 (fail\$3 or unsuccessful\$3 or bad or error\$2) near2 message and @ad<"19990831" not S76	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/05 15:30
S78	32	display near2 (fail\$3 or unsuccessful\$3 or bad or error\$2) near2 message with transfer\$4 and @ad<"19990831" not S76	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/05 15:30